

測試報告

Test Report

號碼(No.) : CY/2014/31721 日期(Date) : 2014/04/07 頁數(Page) : 1 of 5

台灣愛惠浦股份有限公司

TAIWAN EVERBRIGHT CO., LTD.

新北市新店區寶橋路235巷6弄3號8樓

8F, NO. 3, ALLEY 6, LANE 235, PAO-CHIAO RD., HSIN-TIEN DIST., NEW TAIPEI CITY 231, TAIWAN, R.O.C.



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as) :

送樣廠商(Sample Submitted By) : 台灣愛惠浦股份有限公司 (TAIWAN EVERBRIGHT CO., LTD.)
樣品名稱(Sample Description) : 原廠濾頭
樣品材質(Sample Material) : PA
收件日期(Sample Receiving Date) : 2014/03/25
測試期間(Testing Period) : 2014/03/25 TO 2014/04/07

測試需求(Test Requested) :

(1) 依據客戶指定, 參考中華民國食品器具容器包裝衛生標準第六條 (102.08.20部授食字第1021350146號令修正)進行以下測試: / As specified by client, with reference to Article 6 of Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146 was amended on 2013/08/20) to test following items:

(1.1) 材質試驗 / Material test : 鉛 / Lead、鎘 / Cadmium.

溶出測試 / Migration test : 高錳酸鉀消耗量 / Potassium permanganate consumption、蒸發殘渣 / Evaporation residue、鄰苯二甲酸二(2-乙基己基)酯 (DEHP)、鄰苯二甲酸二丁酯 (DBP)、鄰苯二甲酸二異壬酯 (DINP)、鄰苯二甲酸二異癸酯 (DIDP)、鄰苯二甲酸丁苯甲酯 (BBP)、己二酸二(2-乙基己基)酯 (DEHA) (DOA).

(1.2) 材質試驗 / Material test : 鄰苯二甲酸二(2-乙基己基)酯 (DEHP)、鄰苯二甲酸二丁酯 (DBP)、鄰苯二甲酸丁苯甲酯 (BBP)、鄰苯二甲酸二異癸酯 (DIDP)、鄰苯二甲酸二異壬酯 (DINP)、鄰苯二甲酸二甲酯 (DMP)、鄰苯二甲酸二正辛酯 (DNOP)、鄰苯二甲酸二乙酯 (DEP).

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : (1.1) 根據客戶所提供的樣品, 其測試結果符合中華民國食品器具容器包裝衛生標準第六條 (102.08.20部授食字第1021350146號令修正). / Based upon the performed tests on submitted samples, the test results comply with the limits of requirements in Article 6 of Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146 was amended on 2013/08/20).

* 測試報告僅就委託測試者之委託事項提供測試結果, 至若本產品之合法性, 仍應由主管機關依法判斷 *

(The test report is the test result issued by the testing institutions as requested by the consignor. Regarding to the legitimacy of the product, it shall be determined by the authorities according to the law.)



George Fong, Supervisor
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



測試報告

Test Report

號碼(No.) : CY/2014/31721 日期(Date) : 2014/04/07 頁數(Page) : 2 of 5

台灣愛惠浦股份有限公司



TAIWAN EVERBRIGHT CO., LTD.

新北市新店區寶橋路235巷6弄3號8樓

8F, NO. 3, ALLEY 6, LANE 235, PAO-CHIAO RD., HSIN-TIEN DIST., NEW TAIPEI CITY 231, TAIWAN, R.O.C.

測試結果(Test Results)

測試部位(PART NAME)No.1 : 黑色塑膠 (BLACK PLASTIC)

(1.1)

通過(PASS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				No.1	
鉛 / Lead (Pb)	ppm	參考食品器具、容器、包裝檢驗方法-聚醯胺(尼龍)(PA, Nylon)之檢驗(102年9月6日部授食字第1021950329號公告), 以ICP-AES分析。 / With reference to Sanitation Standard for Food	5	n.d.	100
鎘 / Cadmium (Cd)	ppm	Utensils, Containers and Packages-Polyamide (PA, Nylon) (MOHW Food No. 1021950329 announced, September 6, 2013). Analysis was performance by ICP-AES.	0.5	n.d.	100
高錳酸鉀消耗量-(水, 60°C, 30分鐘) / Potassium permanganate consumption-(water, 60°C, 30 min)	ppm	參考食品器具、容器、包裝檢驗方法-聚醯胺(尼龍)(PA, Nylon)之檢驗(102年9月6日部授食字第1021950329號公告)。 / With reference to Sanitation Standard for Food Utensils,	3	n.d.	10
蒸發殘渣-(水, 60°C, 30分鐘) / Evaporation residue-(water, 60°C, 30 min)	ppm	Containers and Packages-Polyamide (PA, Nylon) (MOHW Food No. 1021950329 announced, September 6, 2013).	10	n.d.	30

測試報告

Test Report

號碼(No.) : CY/2014/31721 日期(Date) : 2014/04/07 頁數(Page) : 5 of 5

台灣愛惠浦股份有限公司

TAIWAN EVERBRIGHT CO., LTD.

新北市新店區寶橋路235巷6弄3號8樓

8F, NO. 3, ALLEY 6, LANE 235, PAO-CHIAO RD., HSIN-TIEN DIST., NEW TAIPEI CITY 231, TAIWAN, R.O.C.



* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CY/2014/31721



** 報告結尾 (End of Report) **